


















Classification of uterine anomalies

Francesco Leone

Department of Obstetrics and Gynaecology, Clinical Sciences Institute L. Sacco, University of Milan

<p>Normal uterus Class U0</p>				<p>In presence of a straight or curved interstitial line but with an internal indentation at the fundal midline $<50\%$ of the uterine wall thickness</p>
<p>Dysmorphic uterus Class U1</p>				<p>In presence of a normal uterine outline but with an abnormal shape (excluding septa), characterized by a narrow uterine cavity</p>
<p>Septate uterus Class U2 <i>Partial</i></p>				<p>In presence of a normal uterine outline but with an internal indentation at the fundal midline $>50\%$ of the uterine wall thickness, dividing partly (U2a) or fully (U2b) the uterine cavity</p>
<p>Septate uterus Class U2 <i>Complete</i></p>				<p>In presence of a normal uterine outline but with an internal indentation at the fundal midline $>50\%$ of the uterine wall thickness, dividing partly (U2a) or fully (U2b) the uterine cavity</p>
<p>Bicorporeal uterus Class U3 <i>Complete</i></p>				<p>In presence of a uterus with an abnormal fundal outline with an external indentation at the fundal midline $>50\%$ of the uterine wall thickness, dividing partly (U3a) or fully (U3b) the uterine corpus above the level of the cervix</p>
<p>Hemi uterus Class U4</p>				<p>In presence of a unilateral uterine development, with the contralateral part incompletely formed (with or without a communicating functional horn) or absent</p>

Schematic representation and ultrasound frontal view

Class U2: Internal indentation $>50\%$ of the uterine wall thickness and external contour straight or with indentation $<50\%$

Class U3: External indentation $>50\%$ of the uterine wall thickness

Class U3b: Width of the fundal indentation at the midline $>150\%$ of the uterine wall thickness

Products mentioned in the material may be subject to government regulations and may not be available in all countries. Shipment and effective sale can only occur after approval from the regulator. Please check with local GE HealthCare representative for details.

© 2024 GE HealthCare.

GE is a trademark of General Electric Company used under trademark license.

March 2024
JB28124XX